This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

CERTIFICATE OF FACSIMILE TRANSMISSION TO NO. 1-703 -746-9195

TOTAL PAGES: 2
I nereby certify that this paper is being facsimile transmitted to the Commissioner for Patents on the dare noted below.

Dated: November 18, 2003

FILE COPY

Attorney Docket No. 03468/LH

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

;

Applicant(s)

: Ken IOKA et al

Serial No.

10/634,381

Filed

4 Aug 2003

Art Unit

2622

REQUEST FOR CORRECTED FILING RECEIPT

Commissioner of Patents

ATTN: APPLICATIONS BRANCH

Sir:

Please issue a corrected Filing Receipt correcting the errors indicated in handwriting on the accompanying copy. Please also correct the Patent Office records.

Under Foreign Applications, change "06/02/2001" to --02/06/2001--, February 6, 2001.

Frishauf, Holtz, Goodman, & Chick, P.C. 767 Third Avenue - 25th Fl. New York, N.Y. 10017-2023 Tel(212)319-4900 Fax(212)319-5101 LH/pob Respectfully submitted,

Leonard Holtz Reg No. 22 974



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patters and Trademark Office Volume Volumes (Volume Volumes) (Volume Volumes) (Volume Volumes) (Volume 2233-1236) (Volumes) (Volume 2233-1236)

FILING OR 371 (c) DATE APPL NO. ART UNIT FIL FEE REC'D ATTY DOCKET NO **DRAWINGS** TOT CLMS IND CLMS 10/634,381 08/04/2003 750 2622 5 03468/LH 14 3

CONFIRMATION NO. 8180

01933 FRISHAUF, HOLTZ, GOODMAN & CHICK, PC -767 THIRD AVENUE 25TH FLOOR NEW YORK, NY 10017-2023

FILING RECEIPT *OC00000011166537*

Date Mailed: 11/03/2003

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Ken loka, Hachioji-shi, JAPAN; Yasuhiro Komiya, Hino-shi, JAPAN;

Assignment For Published Patent Application

Olympus Optical Co., Ltd., Tokyo, JAPAN;

Domestic Priority data as claimed by applicant

This application is a CON of PCT/JP02/00890 02/04/2002

Foreign Applications

JAPAN 2001-029835-06/02/2001

02/06/2001

If Required, Foreign Filing License Granted: 10/31/2003

Projected Publication Date: 02/12/2004

Non-Publication Request: No

Early Publication Request: No

Title